

石川 県 学 校 保 健 統 計 調 査

平 成 23 年 度



 石川県県民文化局

| | |
|-------------------------|----|
| 利用者のみなさんへ | 1 |
| 調査結果の概要 | 3 |
| I 発育状態 | 3 |
| 1 平均体格 | 3 |
| (1) | 3 |
| (2) | 4 |
| 2 30年前（昭和56年度）の体格との比較 | 5 |
| (1) 17 | 5 |
| (2) | 5 |
| 3 30年前（昭和56年度）の発育量との比較 | 6 |
| (1) | 6 |
| (2) | 6 |
| II 健康状態 | 8 |
| 1 疾病・異常被患率の状況 | 8 |
| 2 主な疾病・異常被患率の推移 | 8 |
| III 全国値との比較 | 11 |
| 1 発育状態 | 11 |
| (1) | 11 |
| (2) | 12 |
| (3) 17 | 12 |
| (4) | 12 |
| (5) | 13 |
| 2 健康状態 | 13 |
| | 13 |
| 統計表 | |
| 1 | 17 |
| 2 | 19 |
| 3 | 21 |
| 4 | 23 |
| 5 | 25 |
| 付属資料 | |
| | 26 |

1 調査の目的

2 調査の範囲・対象

(23

3 調査期日及び項目

| | | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 |
|--|--|---|---|---|---|----|----|----|----|----|----|----|----|
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

()

4 調査の範囲・対象・抽出の方法

| | 465 | 139,791 | 148 | 12,847 | 66,570 |
|--|-----|---------|-----|--------|--------|
| | 75 | 8,122 | 28 | 995 | 1,364 |
| | 232 | 65,598 | 57 | 5,266 | 26,487 |
| | 102 | 33,822 | 37 | 4,321 | 19,017 |
| | 56 | 32,249 | 26 | 2,265 | 19,702 |

5 利用上の注意

... 0.0 0.00
100 5 50

(表 1、図 1、別表 1 参照)

23

(1)

| | | | | | | | | |
|----|----|----|-------|-------|----|----|-------|-------|
| | | 11 | 12 | 7.8cm | | 16 | 17 | 0.9cm |
| 10 | 11 | | 7.2cm | | 16 | 17 | 0.3cm | |
| | | 11 | 12 | 7.2kg | | 16 | 17 | 2.2kg |
| 10 | 11 | | 5.9kg | | 16 | 17 | 0.5kg | |
| | | 10 | 11 | 4.0cm | | 16 | 1 | 0.6cm |
| 10 | 11 | | 3.7cm | | 16 | 17 | 0.1cm | |


| | | (cm) | | | (kg) | | | (cm) | | |
|--|----|-------|-------|------|------|------|------|------|------|-----|
| | | | | | | | | | | |
| | | 111.0 | 109.9 | 1.1 | 18.8 | 18.5 | 0.3 | 62.0 | 61.4 | 0.6 |
| | | 117.1 | 116.1 | 1.0 | 21.4 | 20.8 | 0.6 | 65.4 | 65.0 | 0.4 |
| | | 122.3 | 122.0 | 0.3 | 23.9 | 23.5 | 0.4 | 67.9 | 67.7 | 0.2 |
| | | 128.3 | 127.5 | 0.8 | 26.7 | 26.3 | 0.4 | 70.4 | 70.2 | 0.2 |
| | | 134.4 | 133.8 | 0.6 | 30.8 | 29.9 | 0.9 | 73.3 | 73.0 | 0.3 |
| | 10 | 138.9 | 140.2 | 1.3 | 33.6 | 33.7 | 0.1 | 75.1 | 76.0 | 0.9 |
| | 11 | 145.1 | 147.4 | 2.3 | 37.8 | 39.6 | 1.8 | 77.8 | 79.7 | 1.9 |
| | 12 | 152.9 | 152.5 | 0.4 | 45.0 | 44.2 | 0.8 | 81.8 | 82.6 | 0.8 |
| | 13 | 160.3 | 155.6 | 4.7 | 49.1 | 48.0 | 1.1 | 85.4 | 84.4 | 1.0 |
| | 14 | 165.9 | 156.9 | 9.0 | 54.9 | 50.2 | 4.7 | 88.5 | 85.1 | 3.4 |
| | 15 | 168.7 | 157.5 | 11.2 | 59.5 | 51.0 | 8.5 | 90.5 | 85.3 | 5.2 |
| | 16 | 170.5 | 158.4 | 12.1 | 62.4 | 52.6 | 9.8 | 91.7 | 85.9 | 5.8 |
| | 17 | 171.4 | 158.7 | 12.7 | 64.6 | 53.1 | 11.5 | 92.3 | 85.8 | 6.5 |

()

(2)

10 11 10 11 10 12
 11 2.3cm 11 1.8kg 11 1.9
 17 12.7cm 11.5kg
 6.5cm

図1 男女別、年齢別平均体格



30 56

(表 2、別表 2 参照)

23 30 56
15 17

5 5

(1) 17 (3)

17 30 0.9cm 3.1kg
1.3cm 1.1cm 0.1kg 0.3cm




(2)

30 12 12 17
9 13 10 11

30

| | | (cm) | | | (kg) | | | (cm) | | |
|--|----|-------|-------|-----|------|------|-----|------|------|-----|
| | | 23 | 56 | | 23 | 56 | | 23 | 56 | |
| | | 111.0 | 110.6 | 0.4 | 18.8 | 18.9 | 0.1 | 62.0 | 62.5 | 0.5 |
| | | 117.1 | 116.6 | 0.5 | 21.4 | 21.0 | 0.4 | 65.4 | 65.3 | 0.1 |
| | | 122.3 | 122.2 | 0.1 | 23.9 | 23.6 | 0.3 | 67.9 | 67.9 | - |
| | | 128.3 | 127.6 | 0.7 | 26.7 | 26.3 | 0.4 | 70.4 | 70.3 | 0.1 |
| | | 134.4 | 132.8 | 1.6 | 30.8 | 29.2 | 1.6 | 73.3 | 72.5 | 0.8 |
| | 10 | 138.9 | 137.6 | 1.3 | 33.6 | 32.5 | 1.1 | 75.1 | 74.5 | 0.6 |
| | 11 | 145.1 | 143.4 | 1.7 | 37.8 | 36.5 | 1.3 | 77.8 | 76.8 | 1.0 |
| | 12 | 152.9 | 150.7 | 2.2 | 45.0 | 41.6 | 3.4 | 81.8 | 80.8 | 1.0 |
| | 13 | 160.3 | 158.6 | 1.7 | 49.1 | 47.4 | 1.7 | 85.4 | 84.4 | 1.0 |
| | 14 | 165.9 | 164.4 | 1.5 | 54.9 | 52.8 | 2.1 | 88.5 | 87.5 | 1.0 |
| | 15 | 168.7 | 168.1 | 0.6 | 59.5 | 58.3 | 1.2 | 90.5 | 89.8 | 0.7 |
| | 16 | 170.5 | 170.0 | 0.5 | 62.4 | 59.9 | 2.5 | 91.7 | 90.8 | 0.9 |
| | 17 | 171.4 | 170.5 | 0.9 | 64.6 | 61.5 | 3.1 | 92.3 | 91.0 | 1.3 |
| | | 109.9 | 109.9 | - | 18.5 | 18.6 | 0.1 | 61.4 | 62.5 | 1.1 |
| | | 116.1 | 115.5 | 0.6 | 20.8 | 20.6 | 0.2 | 65.0 | 64.7 | 0.3 |
| | | 122.0 | 121.1 | 0.9 | 23.5 | 22.7 | 0.8 | 67.7 | 67.2 | 0.5 |
| | | 127.5 | 127.1 | 0.4 | 26.3 | 25.7 | 0.6 | 70.2 | 70.0 | 0.2 |
| | | 133.8 | 132.3 | 1.5 | 29.9 | 28.5 | 1.4 | 73.0 | 72.3 | 0.7 |
| | 10 | 140.2 | 138.8 | 1.4 | 33.7 | 32.6 | 1.1 | 76.0 | 75.2 | 0.8 |
| | 11 | 147.4 | 146.2 | 1.2 | 39.6 | 38.2 | 1.4 | 79.7 | 78.9 | 0.8 |
| | 12 | 152.5 | 151.6 | 0.9 | 44.2 | 43.1 | 1.1 | 82.6 | 82.0 | 0.6 |
| | 13 | 155.6 | 154.9 | 0.7 | 48.0 | 46.5 | 1.5 | 84.4 | 83.7 | 0.7 |
| | 14 | 156.9 | 156.6 | 0.3 | 50.2 | 50.0 | 0.2 | 85.1 | 84.9 | 0.2 |
| | 15 | 157.5 | 157.2 | 0.3 | 51.0 | 52.7 | 1.7 | 85.3 | 85.4 | 0.1 |
| | 16 | 158.4 | 157.8 | 0.6 | 52.6 | 52.5 | 0.1 | 85.9 | 85.3 | 0.6 |
| | 17 | 158.7 | 157.6 | 1.1 | 53.1 | 53.2 | 0.1 | 85.8 | 85.5 | 0.3 |

図2 年間発育量の30年前との比較



11 5

5 12 6

23) 1 2 (

38.2% 62.9% 58.5% 62.1

1.0

31.7% 60.7% 74.4

| 1 | | 38.2 | | 62.9 | 1.0 | 60.7 | 1.0 74.4 |
|---|--|------|-----|------|-----|------|----------|
| 2 | | 3.1 | 1.0 | 31.7 | | 58.5 | 62.1 |
| 3 | | 2.5 | | 9.2 | | 6.2 | 7.5 |
| 4 | | 2.2 | | 3.4 | | 5.7 | 7.0 |
| 5 | | 1.6 | | 3.0 | | 4.2 | 5.0 |

23

0.5 0.5 0.3 1.2

23 1.6

9.2 3.9 7.5

23 3.1 0.8





6 12 15

23 6 2.1 1.2 4.2

1.5 3.5

23 2.5 2.7 1.0


1.1



(1) (図3、別表1参照)

図3 男女別、年齢別体格の全国平均値との差

() = 0.0




23 11 4.10 12 4.24
 5 0.00 5 0.14
 9 11 12 6 9 10 11 12

| | | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 |
|--|--|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | 0.24 | 0.59 | 0.24 | 0.95 | 2.66 | 2.11 | 3.65 | 3.38 | 2.05 | 1.64 | 1.88 | 1.72 | 0.65 |
| | | 0.37 | 0.52 | 0.55 | 1.10 | 1.73 | 2.67 | 3.02 | 3.35 | 2.70 | 2.16 | 2.62 | 2.02 | 1.71 |
| | | 0.33 | 0.15 | 0.07 | 0.98 | 2.80 | 1.21 | 4.10 | 2.57 | 1.52 | 0.69 | 1.43 | 0.67 | 0.50 |
| | | 0.33 | 0.40 | 0.54 | 1.17 | 1.50 | 2.69 | 3.05 | 2.43 | 1.55 | 1.73 | 2.60 | 1.82 | 1.54 |
| | | 0.14 | 1.04 | 0.42 | 0.92 | 2.50 | 3.03 | 3.17 | 4.24 | 2.62 | 2.62 | 2.34 | 2.79 | 0.80 |
| | | 0.40 | 0.65 | 0.55 | 1.03 | 1.96 | 2.64 | 2.98 | 4.32 | 3.91 | 2.61 | 2.65 | 2.22 | 1.89 |

20
 × 100

48 5.7 10.2
 3.6
 1.0 1.8 9.1 13.5



()






図7 都道府県別17歳の平均身長

